Annual Indexes

Volume 11—October 1981 to July 1982

1. Subject Index

A

Accuracy of steady ocular fixation, and speed and accuracy of saccadic eye movements as a function of task visibility 35
Acuity, An alternative ESI system based on human visual 171
Adapter for low wattage mercury and sodium lamps, Incandescent socket 79
Age, Description of a comprehensive family of relative contrast sensitivity (RCS) functions of luminance to reflect differences in size of task detail, task eccentricity and observer 52
Alternative ESI system based on human visual acuity, An 171
Analysis of field methods for assessing visual quality/performance in computer designed lighting systems, Study and 241
Analysis of HPS lamp voltage rise .. 94
Analyzer utilizing industrial TV techniques, Development of luminance pattern 147
Anode oscillations, Single-ended compact fluorescent lamp with multi-arc caused by 216
Approved method for the electrical and photometric measurements of fluorescent lamps, IES 16
Approved method for electrical and photometric measurements of general service incandescent filament lamps, IES 23
Approved method for photometric measuring and reporting tests on reflector type lamps, IES 130
Arc tube transmission properties, Correlation of high pressure sodium lamp performance with 223
Assessment of polarized light under realistic conditions, Photometry and visual 135

C

Cavities, coefficients, and direct ratios 178
Ceramic envelopes, Tin sodium halide lamps in 106
Characterization and statistical modeling of Na-Sc iodide lamps, Experimental 153
Coefficients, and direct ratios, Cavities, 178
Color, Factors influencing fluorescent lamp 194
Color rendition, A high pressure sodium lamp with improved 231
Colors under high pressure sodium illuminants, The perception of 85
Compact fluorescent lamp with multi-arc caused by anode oscillations, Single-ended 216
Computer aided design of luminaire reflectors, A new method for 98
Computer designed lighting systems, Study and analysis of field methods for assessing visual quality/performance in 241
Contrast rendering, A gauge for 115
Contrast sensitivity (RCS) functions of luminance to reflect differences in size of task detail, task eccentricity and observer age, Description of a comprehensive family of relative . 52
Correlation of high pressure sodium lamp performance with arc tube transmission properties 223

D

Daylight in typical office/school interiors, Levels of performance related illumination available from 7
Description of a comprehensive family of relative contrast sensitivity (RCS) functions of luminance to reflect differences in size of task detail, task eccentricity and observer age 52
"Design-of-experiment" method and development of new metal halide lamps, The 162
Design of luminaire reflectors, A new method for computer aided 98
Development of luminance pattern analyzer utilizing industrial TV techniques 147
Development of new metal halide lamps, The "design-of-experiment" method and 147
Direct ratios, Cavities, coefficients, and Driver's view of the roadway 121

E

Eccentricity and observer age, Description of a comprehensive family of relative contrast sensitivity (RCS) functions of luminance to reflect differences in size of task detail, task 23
Effect of rare gases on the luminous efficacy of metal halide lamps, The 140
Effects in HID lamps during warmup, Nonequilibrium vaporization 74
Efficacy of metal halide lamps, The effect of rare gases on the luminous 140
Electrical and photometric measurements of fluorescent lamps, IES approved method for the 16
Electrical and photometric measurements of general service incandescent filament lamps, IES approved method for 23
Energy balance analysis procedure, A skylight 27
Energy saving rapid start fluorescent lamp, A T-10 200
Envelopes, Tin sodium halide lamps in ceramic 106
ESI system based on human visual acuity, An alternative 171
Experimental characterization and statistical modeling of Na-Sc iodide lamps 153
Eye movements as a function of task visibility level, Accuracy of steady ocular fixation, and speed and accuracy of saccadic 35

F

Factors influencing fluorescent lamp color 194
Field methods for assessing visual quality/performance in computer designed lighting systems, Study and analysis of 241
Fixation, and speed and accuracy of saccadic eye movements as a function of task visibility level, Accuracy of steady ocular 35
Fluorescent lamp, A T-10 energy saving rapid start 200
Fluorescent lamp color, Factors influencing 194
Fluorescent lamp, Compact 204
Fluorescent lamps, IES approved method for life performance testing of 213
Fluorescent lamps, IES approved method for the electrical photometric measurements of 16
Fluorescent lamp with multi-arc caused by anode oscillations, Single-ended compact 216
Fluorescent systems, Optimum system and lamp parameters for efficient T8 2

G

Gases on the luminous efficacy of metal halide lamps, The effect of rare ... 140
Gauge of contrast rendering, A 115
General service incandescent filament lamps, IES approved method for electrical and photometric measurements of 23

H

Halide lamps in ceramic envelopes, Tin sodium 106
Halide lamps, Low wattage metal ... 66
Halide lamps, The "design-of-experiment" method and development of new metal 162
Halide lamps, The effect of rare gases on the luminous efficacy of metal . 140
HID lamps during warmup, Nonequilibrium vaporization effects in ... 74
High pressure sodium illuminants, The perception of colors under 85
High pressure sodium lamp performance with arc tube transmission properties, Correlation of 223
High pressure sodium lamp with improved color rendition, A 231
HPS lamp voltage rise, Analysis of .. 94
Human visual acuity, An alternative ESI system based on 171

I

IERI Reports
Accuracy of steady ocular fixation, and speed and accuracy of saccadic eye movements as a function of task visibility level 35
Description of a comprehensive family of relative contrast sensitivity (RCS) functions of luminance to reflect differences in size of task detail, task eccentricity and observer age 52
IES approved method for the electrical and photometric measurements of fluorescent lamps 16
IES approved method for electrical and photometric measurements of

general service incandescent filament lamps 23
IES approved method for life performance testing of fluorescent lamps 213
IES approved method for photometric measuring and reporting tests on reflector type lamps 130
Illuminants, The perception of colors under high pressure sodium 85
Illumination available from daylight in typical office/school interiors, Levels of performance related 7
Incandescent filament lamps, IES approved method for electrical and photometric measurements of general service 23
Incandescent socket adapter for low wattage mercury and sodium lamps 79
Industrial TV techniques, Development of luminance pattern analyzer utilizing 147
Interiors, Levels of performance related illumination available from daylight in typical office/school 7
Iodide lamps, Experimental characterization and statistical modeling of Na-Sc 153

L

Lamp parameters for efficient T8 fluorescent systems, Optimum system and 2
Lamps during warmup, Nonequilibrium vaporization effects in HID ... 74
Lamps, Experimental characterization and statistical modeling of Na-Sc iodide 153
Lamps, IES approved method for the electrical and photometric measurements of fluorescent 16
Lamps, IES approved method for electrical photometric measurements of general service incandescent filament 23
Lamps, IES approved method for photometric measuring and reporting tests on reflector type 130
Lamps, Incandescent socket adapter for low wattage mercury and sodium 79
Lamps in ceramic envelopes, Tin sodium halide 106
Lamps, Low wattage metal halide ... 66
Lamps, The "design-of-experiment" method and development of new metal halide 162
Lamps, The effect of rare gases on the luminous efficacy of metal halide . 140
Lamp voltage rise, Analysis of HPS . 94
Life performance testing of fluorescent lamps, IES approved method for . 213
Lighting systems, Study and analysis of field methods for assessing visual quality/performance in computer designed 241
Light under realistic conditions, Photometry and visual assessment of polarized 135
Low wattage mercury and sodium lamps, Incandescent socket adapter for 79
Low wattage metal halide lamps 66
Luminaire reflectors, A new method for computer aided design of 98
Luminance pattern analyzer utilizing industrial TV techniques, Development of 147
Luminance to reflect differences in size of task detail, task eccentricity and observer age, Description of a comprehensive family of relative contrast sensitivity (RCS) functions of 52
Luminous efficacy of metal halide lamps, The effect of rare gases on the 140

M

Measurements of fluorescent lamps, IES approved method for the electrical and photometric 130
Measurements of general service incandescent filament lamps, IES approved method for electrical and photometric 7
Measuring and reporting tests on reflector type lamps, IES approved method for photometric 130
Mercury and sodium lamps, Incandescent socket adapter for low wattage 23
Metal halide lamps, Low wattage ... 79
Metal halide lamps, The "design-of-experiment" method and development of new 147
Metal halide lamps, The effect of rare gases on the luminous efficacy of . 140
Modeling of Na-Sc iodide lamps, Experimental characterization and statistical 7
Multi-arc caused by anode oscillations, Single-ended compact fluorescent lamp with 153

N

Na-Sc iodide lamps, Experimental characterization and statistical modeling of 2
Nonequilibrium vaporization effects in HID lamps during warmup 74

O

Observer age, Description of a comprehensive family of relative contrast sensitivity (RCS) functions of luminance to reflect differences in size of task detail, task eccentricity and .. 23
Ocular fixation, and speed and accuracy of saccadic eye movements as a function of task visibility level, Accuracy of steady 130
Office/school interiors, Levels of performance related illumination available from daylight in typical . 106
Optimum system and lamp parameters for efficient T8 fluorescent systems 66
Oscillations, Single-ended compact fluorescent lamp with multi-arc caused by anode 162

P

Parameters for efficient T8 fluorescent systems, Optimum system and lamp 213
Pattern analyzer utilizing industrial TV techniques, Development of luminance 241
Perception of colors under high pressure sodium illuminants, The 135
Performance in computer designed lighting systems, Study and analysis of field methods for assessing visual quality/ 79
Performance related illumination available from daylight in typical office/school interiors, Levels of .. 66
Photometric measurements of fluorescent lamps, IES approved method for the electrical and 98
Photometric measurements of general service incandescent filament lamps, IES approved method for electrical and 147
Photometric measuring and reporting tests on reflector type lamps, IES approved method for 52
Photometry and visual assessment of polarized light under realistic conditions 140
Polarized light under realistic conditions, Photometry and visual assessment of 16
Pressure sodium illuminants, The perception of colors under high ... 23

Q

Quality/performance in computer designed lighting systems, Study and analysis of field methods for assessing visual 130

R

Rapid start fluorescent lamp, A T-10 energy saving 79
Rare gases on the luminous efficacy of metal halide lamps, The effect of . 66
Ratios, Cavities, coefficients, and direct (RCS) functions of luminance to reflect differences in size of task detail, task eccentricity and observer age, Description of a comprehensive family of relative contrast sensitivity 216
Reflectors, A new method for computer aided design of luminaire 162
Reflector type lamps, IES approved method for photometric measuring and reporting tests on 140
Relative contrast sensitivity (RCS) functions of luminance to reflect differences in size of task detail, task eccentricity and observer age, Description of a comprehensive family of 153
Rendering, A gauge for contrast 74
Rendition, A high pressure sodium lamp with improved color 216
Roadway, Driver's view of the 52

S

Saccadic eye movements as a function of task visibility level, Accuracy of steady ocular fixation, and speed and accuracy of 35
School interiors, Levels of performance related illumination available from daylight in typical office/ 7
Sensitivity (RCS) functions of luminance to reflect differences in size of task detail, task eccentricity and observer age, Description of a comprehensive family of relative contrast 52
Service incandescent filament lamps, IES approved method for electrical and photometric measurements of general 23
Single-ended compact fluorescent lamp with multi-arc caused by anode oscillations 85
Skylight energy balance analysis procedure, A 27
Socket adapter for low wattage mercury and sodium lamps, Incandescent 241
Sodium halide lamps in ceramic envelopes, Tin 79
Sodium illuminants, The perception of colors under high pressure 7
Sodium lamps, Incandescent socket adapter for low wattage mercury and 16
Statistical modeling of Na-Sc iodide lamps, Experimental characterization and 79
Study and analysis of field methods for 23

assessing visual quality/performance in computer designed lighting systems 241
System and lamp parameters for efficient T8 fluorescent systems, Optimum 2
System based on human visual acuity, An alternative ESI 171
Systems, Optimum system and lamp parameters for efficient T8 fluorescent 2
Systems, Study and analysis of field methods for assessing visual quality/performance in computer designed lighting 241

T

Task detail, task eccentricity and observer age, Description of a comprehensive family of relative contrast sensitivity (RCS) functions of luminance to reflect differences in size of 52
Task visibility level, Accuracy of steady ocular fixation, and speed and accuracy of saccadic eye movements as a function of 35
Testing of fluorescent lamps, IES approved method for life performance 213
Tests on reflector type lamps, IES approved method for photometric measuring and reporting 130
Transmission properties, Correlation of high pressure sodium lamp performance with arc tube 223
T-10 energy saving rapid start fluorescent lamp, A 200
Tube transmission properties, Correlation of high pressure sodium lamp performance with arc 223
TV techniques, Development of luminance pattern analyzer utilizing industrial 147

U

Utilizing industrial TV techniques, Development of luminance pattern analyzer 147

V

Vaporization effects in HID lamps during warmup, Nonequilibrium . 74
View of the roadway, Driver's 121
Visibility level, Accuracy of steady ocular fixation, and speed and accuracy of saccadic eye movements as a function of task 35
Visual acuity, An alternative ESI system based on human 171
Visual assessment of polarized light under realistic conditions, Photometry and 135
Visual quality/performance in computer designed lighting systems, Study and analysis of field methods for assessing 241
Voltage rise, Analysis of HPS lamp . 94

W

Warmup, Nonequilibrium vaporization effects in HID lamps during 74
Wattage mercury and sodium lamps, Incandescent socket adapter for low 79
Wattage metal halide lamps, Low ... 66

2. Author Index

B

Bassett, M. G.—Study and analysis of field methods for assessing visual quality/performance in computer designed lighting systems 241
Bessone, C. S.—Optimum system and lamp parameters for efficient T8 fluorescent systems 2
Blackwell, H. R.—Accuracy of steady ocular fixation, and speed and accuracy of saccadic eye movements as a function of task visibility level .. 241
Blackwell, H. R. —Description of a comprehensive family of relative contrast sensitivity (CRS) function of luminance to reflect differences in size of task detail, task eccentricity and observer age 52
Bouwknegt, A.—Compact fluorescent lamp 204
Boyle, J. R.—A skylight energy balance analysis procedure 27
Brown, K. E.—Tin sodium halide lamps in ceramic envelopes 106

C

Chalmers, A. G.—Tin sodium halide lamps in ceramic envelopes 130
Chrysler, J. A.—Study and analysis of field methods for assessing visual quality/performance in computer designed lighting systems 223
Citino, R. J.—Optimum system and lamp parameters for efficient T8 fluorescent systems 223
Cohen, S.—Incandescent socket adapter for low wattage mercury and sodium lamps 147
Corth, R.—The perception of colors under high pressure sodium illuminants 85

D

Davenport, J. M.—Low wattage metal halide lamps 66
Dietz, P. S.—A skylight energy balance analysis procedure 27

F

Fujii, K.—Development of luminance pattern analyzer utilizing industrial TV techniques 147

G

Gungle, W. C.—Incandescent socket adapter for low wattage mercury and sodium lamps 135

H

Higashi, T.—The effect of rare gases on the luminous efficacy of metal halide lamps 140

I

Ingold, J. H.—Correlation of high pressure sodium lamp performance with arc tube transmission properties 223
Inouye, A.—The effect of rare gases on the luminous efficacy of metal halide lamps 140
Ishigami, T.—The effect of rare gases on the luminous efficacy of metal halide lamps 140

J

Jennings, R.—Levels of performance related illumination available from daylight in typical office/school interiors 35

K

Kaneko, T.—An alternative ESI system based on human visual acuity 171
Karino, M.—A new method for computer aided design of luminaire reflectors 98
Kawahara, K.—A high pressure sodium lamp with improved color rendition 231
Keeffe, W. M.—Nonequilibrium vaporization effects in HID lamps during warmup 74
Krasko, Z. K.—The "design-of-experiment" method and development of new metal halide lamps 106
Kussmaul, K. L.—Experimental characterization and statistical modeling of Na-Sc iodide lamps .. 153

L

Lake, W. H.—Low wattage metal halide lamps 79
Levin, R. E.—Cavities, coefficients, and direct ratios 178
Loch, C. H.—Driver's view of the roadway 121
Lynes, J. A.—A gauge for contrast rendering 115

M

Mulvey, G. E.—Study and analysis of field methods for assessing visual quality/performance in computer designed lighting systems 241
Murdoch, J. B.—A skylight energy balance analysis procedure 27
Myodo, S.—A new method for computer aided design of luminaire reflectors 98

O

Okada, S.—Development of luminance pattern analyzer utilizing industrial TV techniques 147
Otani, K.—A high pressure sodium lamp with improved color rendition 231

P

Partlow, W. D.—Experimental characterization and statistical modeling of Na-Sc iodide lamps 153
Pokoski, J. L.—A skylight energy balance analysis procedure 27
Preston III, G. V.—A T-10 energy saving rapid start fluorescent lamp 200

R

Rea, M.—Photometry and visual assessment of polarized light under realistic conditions 135
Rothwell, H. L.—Nonequilibrium vaporization effects in HID lamps during warmup 74

S

Sasaki, H.—The effect of rare gases on the luminous efficacy of metal halide lamps 140
Sinton, D. J.—Accuracy of steady ocular fixation, and speed and accuracy of saccadic eye movements as a function of task visibility level ... 35

T

Takahashi, S.—Development of luminance pattern analyzer utilizing industrial TV techniques 147
Tanimizu, S.—Single-ended compact fluorescent lamp with multi-arc caused by anode oscillations 216
Taylor, W. L.—Correlation of high pressure sodium lamp performance with arc tube transmission properties 223
Thrun, E.—Levels of performance related illumination available from daylight in typical office/school interiors 7
Tsuchihashi, M.—A high pressure sodium lamp with improved color rendition 231

W

Ward, P. C.—Analysis of HPS lamp voltage rise 94
Watanabe, K.—A high pressure sodium lamp with improved color rendition 231
Watanabe, Y.—Single-ended compact fluorescent lamp with multi-arc caused by anode oscillations 216
Wharmby, D. O.—Tin sodium halide lamps in ceramic envelopes 106
Wyner, E. F.—Incandescent socket adapter for low wattage mercury and sodium lamps 79

Y

Yamane, M.—Single-ended compact fluorescent lamp with multi-arc caused by anode oscillations 216
Young, R. G.—Factors influencing fluorescent lamp color 194

Z

Zack, A.—Incandescent socket adapter for low wattage mercury and sodium lamps 79